

ready  slate
by CUPA GROUP

FAST & EASY NATURAL SLATE
LIGHTWEIGHT ROOFING SYSTEM

TRUE NATURAL SLATE

READYSLATE® keeps all the exceptional properties of natural slate, a product which has been molded by nature for over 500 million years with unmatched and unbeatable characteristics.

No other artificial alternatives could compare with slate.



“NO OTHER ROOFING PRODUCT HAS PROVEN TO BE MORE DURABLE OR COST EFFECTIVE OVER THE USEFUL LIFE OF NATURAL SLATE”



NON-CARBONATED TECTONIC SLATE



ORIGIN: SPAIN

Quarry operating since 1968.



PRODUCTION

We are the largest producers of natural slate worldwide, with more than 190.000.000 pieces per year.



SIZES

12" x 8"



FORMATS

Rectangular



COLOUR

Black



TEXTURE

Flat



TECHNICAL DATA

WATER ABSORPTION

0.11 - 0.36% Code: W1 (< 0.6%)

CONTENTS OF CARBONATE NON CARBONATED

0.22 - 0.56% Fulfill (< 1.50%)

MOR CHARACTERISTIC

Transversal ≥ 43 MPA

Longitudinal ≥ 50 MPA

SO₂ EXPOSURE TEST: S1


THERMAL CYCLE TEST: T1

FREEZE THAW TEST

Fulfill < 0.6%

INNOVATIVE

READYSLATE®, the first pre-assembled natural slate roofing system, developed and patented by CUPA GROUP, world leaders in slate production.



ready>>slate

FASTER AND EASIER LIGHTWEIGHT NATURAL SLATE ROOFING



DURABILITY

Natural slate is a long-lasting, high strength, weatherproof and fire resistant natural material which holds natural beauty and remains unchanged over time cut in terms.



ECOLOGY

Our 100% natural slate is split by hand and uses no additional chemicals, which combined with its unmatched durability, makes it a sustainable material with low environmental impact.




PERSONALITY

Characterized by its natural sheen and incomparable texture, natural slate is a noble, elegant, personality-packed material, bringing prestige to the surfaces where it is used. Each natural slate extracted is unique.

SIMPLE


Do-it-yourself approach: 4 step installation that requires neither skilled labour nor specialized machinery. READYSLATE® modular design ensures complete waterproofing and seamless integration with any existing roof elements.

1




READYSLATE® is easily installed with nails. All individual slate tiles are predrilled to simplify the installation process. Once fitted, peel back the protective film.

2




READYSLATE® modular design makes laying slate tiles a breeze. Aligning modules is even easier; just cover the spare area on the waterproof sheet.

3



READYSLATE® slate tiles are marked with an overlapping line to ensure all modules are easily and correctly laid.

4



Easily adapt modules to any roof element to complete your own waterproof, resistant and eco-friendly natural slate roof.

ROOFING COVERAGE

3.22 sqft/panel

16 sqft/box

NAILING SCHEDULE

3.75 nails/sqft

60 nails/box

Valleys, ridge, hips: READYSLATE® can be combined with most of flashings and waterproofing solutions in metal or other materials.

**Please consult our step-by-step installation instructions for more information.*

EFFICIENT



LIGHTWEIGHT

READYSLATE® modules are lightweight and flexible without losing strength and resistance. It is designed to comply with any building or roofing legal weight requirements. weights 3.7 lbs per sqft.



QUALITY

READYSLATE® modules are composed mainly of slate, the most long lasting and durable material used for roofing. Accordingly, it's ready to last a lifetime. The natural beauty of this element cannot be achieved with artificial alternatives.



EASY TO INSTALL

READYSLATE® modules can be installed without highly skilled workers. Unlike other materials, there is no need for specialized labor. The system is designed to be a faster and reliable alternative.



INCREASES HOUSE VALUE

READYSLATE® modules provide considerable added value to any property. It is a good investment, as a good roof enhances your home's curb appeal.

ready>>slate

Ph. 866-421-1171
readyslate@cupapizarras.com
www.readyslate.com

DISTRIBUTED BY:



VERMONT SLATE COMPANY

2600 Louisville Rd,
Savannah, GA
31415 - United States
info@vermontslateco.com
Ph. 866-339-2038
www.vermontslateco.com